Productivity

I don't know about these microtransactions in Assassin's Creed. They're offering me a "time saver," but I'm not trying to save time. I'm playing videogames. Are they saying I shouldn't?

5

I'M very,

very confused.

5-

Gabriel, what you call "confusion" is just thoughts. They are your Mind Friends, and they help you navigate the world a world indistinguishable from hell.

Well, I don't like it, and I'm scared. It makes me want to buy things. Oh! Here's something to buy!





6000 H

© 2017 Mike Krahulik & Jerry Holkins

www.penny-arcade.com

The Story So Far ...

We want to deliver and support a quality software product

Software processes are carried out by humans

.Humans have biases

•Some humans are more productive than others at software engineering activities

•How can we understand and improve such human expertise?

One-Slide Summary

 Humans demonstrate different levels of expertise (i.e., different productivity rates) at programming tasks.

We consider a number of hypotheses, including hardware support, slow programmers and programs, abstractions, decompositions, and neural activity. For each, we examine relevant scientific literature.

•Organizations can provide hardware support. Individuals can practice abstractions and decompositions.

Outline, Psychology

.Real-Time Exercise Rapid Response Time Programming Performance •Mythical Man-Month •Expertise in Problem Solving •Expert Bodies, Expert Minds .Advice



Real-Time Exercise + "Quiz"

.You will be asked to solve a simple problem.

.Get the correct answer as quickly as possible.

- .You will be timed (once you click "start").
- •You can use *any* program, language or tool available to you.
- Once you have submitted your answer, *submit your explanation of what you have tried to solve this problem on the webpage*
- I will cut things off after ~15 minutes.



https://kjl.name/shib/cs4278/sp22/productivity

Distribution of Times

.How many different tasks were students given?

What did you observe, roughly, as the range and variance of times?Knowledge vs Time



Hypotheses

- •My computer is slow.
- .I'm slow and so is my program.
- I picked the wrong language/abstraction and couldn't break up the problem.
- I did not recognize the true components of the problem.
- •My brain is currently inefficient, requiring much metabolism for little neural activation.

Walter Dougherty and Ahrvind Thadani. *The Economic Value of Rapid Response Time*. IBM Systems Journal, 1982.

•Read chart "backward", from Right to Left.

 Productivity goes up, then sharply up.



"...each second of system response degradation leads to a similar degradation added to the user's time for the following [command]. This phenomenon seems to be related to an individual's attention span. The traditional model of a person thinking after each system response appears to be inaccurate. Instead, people seem to have a sequence of actions in mind, contained in a short-term mental memory buffer. Increases in SRT [system response time] seem to disrupt the thought processes, and this may result in having to rethink the sequence of actions to be continued."

•Figure 7







•The SPD study measured 75 work sessions of 15 engineers at graphic display terminals as they performed various physical design tasks. Their transaction rate data confirmed Thadhani's curve, (Figure 7). Indeed, it showed considerably more. All users benefited from sub-second response time. In addition, on average, experienced engineer working with sub-second response was as productive as an expert with slower response. A novice's performance became as good as the experienced professional and the productivity of the expert was dramatically enhanced.

•Example implication, from the reading:

"The system and user cost for this time were estimated at \$900,000 monthly (Figure 6), 15 times the incremental cost of a new processor capable of providing sub-second response time to 500 simultaneous users. For the National Institutes of Health, the cost of upgrading their processor was more than justified by the savings in user time and the restoration of their low task costs.

The engineers use display terminals specifically designed for the high transaction rates necessary to manipulate graphic images."

H. Sackman, W. J. Erikson and E. E. Grant. Exploratory Experimental Studies Comparing Online and Offline Programming Performance. Communication of the ACM, 1968.

.Summary?



TABLE III. RANGE OF INDIVIDUAL DIFFERENCES IN PROGRAMMING PERFORMANCE

Perjormance measure	Poorest score	Besi score	Ratio
1. Debug hours Algebra	170	6	28:1
2. Debug hours Maze	26	ì.	26:1
3. CPU time Algebra (sec)	3075	370	8:1
4. CPU time Maze (see)	541	50	11:1
5. Code hours Algebra	111	7	16:1
6. Code hours Maze	50	2	25:1
7. Program size Algebra	6137	1050	6:1
8. Program size Maze	3287	651	5:1
9. Run time Algebra (sec)	7.9	1.6	5:1
10. Run time Maze (sec)	8.0	.6	13:1

And the second second

TABLE I. EXPERIENCED PROGRAMMER PERFORMANCE

	De	BUG MAN-I	lours		
	Algebra		31 3.20		
	Online	0,8ise	Online	Ofine	
Mean	34.5	50.2	4.0	12.3	
SD	30.5	58.9	4.3	8.7	
	С	PU Time ((sec)		
	Algebra		30	-356	
	Online	Offine	Online	Offine	
Mean	1266	907	229	191	
SD	473	1067	175	136	



•A substantial performance factor designated as "programming speed," associated with faster coding and debugging, less CPU time, and the use of a higher order language.

•A well-defined "program economy" factor marked by shorter and faster running programs, associated to some extent with greater programming experience and with the use of machine language rather than higher order language.

."Data were gathered on the subject's grades in the SDC programmer training class ... and they were also given the Basic Programmer Knowledge Test. Correlations between all experimental measures, adjusted scores, grades, and the BPKT results were determined. ... The results showed no consistent correlation between performance measures and the various grades and test scores."

"It is apparent from the spread of the data that very substantial savings can be effected by successfully detecting low performers. Techniques measuring individual programming skills should be vigorously pursued"

•Why do CS companies use Skill-Based Interviews instead of just using your class grades?

Fault Localization Accuracy

•Zachary P. Fry, et al.: *A Human Study of Fault Localization Accuracy*. International Conference on Software Maintenance (ICSM) 2010

TABLE II

Participant Subsets and Average Accuracies. The complete human study involved n = 65 participants.

Subset	Average	Number of
	Accuracy	Participants
All	46.3%	65
Accuracy $> 40\%$	55.2%	46
Experience > 4 years	51.5%	34
Experience ≥ 4 years	49.9%	51
Experience $= 4$ years	46.7%	17
Experience < 4 years	33.4%	14
Baseline: Guess Longest Line	6.3%	-
Baseline: Guess Randomly	<5.0%	-



•Frederick Brooks. *The Mythical Man-Month*. Addison-Wesley, 1975/1995.

•Summary?

Since software construction is inherently a systems effort—an exercise in complex interrelationships—communication effort is great, and it quickly dominates the decrease in individual task time brought about by partitioning. Adding more men then lengthens, not shortens, the schedule.

•Brooks: SE is non-partitionable.



Fig. 2.3 Time versus number of workers—partitionable task requiring communication

For some years I have been successfully using the following rule of thumb for scheduling a software task:

- 1/3 planning
- 1% coding
- 1/4 component test and early system test
- 1/4 system test, all components in hand.

This differs from conventional scheduling in several important ways:

- The fraction devoted to planning is larger than normal. Even so, it is barely enough to produce a detailed and solid specification, and not enough to include research or exploration of totally new techniques.
- 2. The *half* of the schedule devoted to debugging of completed code is much larger than normal.
- 3. The part that is easy to estimate, i.e., coding, is given only one-sixth of the schedule.

Corbató's Data

Both Harr's data and OS/360 data are for assembly language programming. Little data seem to have been published on system programming productivity using higher-level languages. Corbató of MIT's Project MAC reports, however, a mean productivity of 1200 lines of debugged PL/I statements per man-year on the MULTICS system (between 1 and 2 million words).¹⁰

But Corbató's number is *lines* per man-year, not *words*! Each statement in his system corresponds to about three to five words of handwritten code! This suggests two important conclusions.

- Productivity seems constant in terms of elementary statements, a conclusion that is reasonable in terms of the thought a statement requires and the errors it may include.¹¹
- Programming productivity may be increased as much as five times when a suitable high-level language is used.¹²

- .1200 lines / year = 3 lines of code per day
 .What?
- This includes coding, testing, debugging, etc.Basically the entire software lifecycle
- More modern estimates: 10 LOC / day

•The real insight is the observation of language invariance.

Trivia: Gaming Metrics

•This term refers to the rate at which video game players can select units or otherwise issue orders. It is primarily associated with real-time strategy and fighting games such as StarCraft; a high value for this metric is associated with skill and expertise:

Beginner: ~50

.Professional: ~300

.Competition: ~400+

Trivia: productivity in music

These two singers, songwriters, and musicians are usually considered the most successful songwriters in terms of number one singles. They are credited as the writer on 32 and 26 (with 23 co-written) number one hits in the US, whereas 29 and 28 (25 co-written) UK number ones.

•Both were from the legendary rock band formed in Liverpool in 1960.

Trivia: Cuisine

•This fresh cheese is common in South Asia, especially in India. It is a non-melting, acid-set farmer cheese made by curdling heated milk with lemon juice or vinegar or yogurt, separating out the excess water, and cooling. It is commonly used in dishes in India, Nepal, Bangladesh and Pakistan.



ChatGPT: Bless or Curse?

Does ChatGPT Help With Introductory Programming? An Experiment of Students Using ChatGPT in CS1. Garrett Xue, Hanlin Chen, Robert Tairas, Gina Bai, Yu Huang. *ICSE-SEET 2024*.

N=56



ChatGPT: Bless or Curse?

Does ChatGPT Help With Introductory Programming? An Experiment of Students Using ChatGPT in CS1. Garrett Xue, Hanlin Chen, Robert Tairas, Gina Bai, Yu Huang. *ICSE-SEET 2024*.

- How does ChatGPT impact students' learning performance in CS1 education? Do students learn better and complete the tasks more quickly with ChatGPT?
 - The use of ChatGPT does not demonstrate a statistically significant impact on participants' learning outcomes.
- What resources do students rely on to solve introductory programming problems? How do they use these resources?
 - Reliance on chatGPT did not guarantee enhanced learning performance outcomes.
 - However, the availability of ChatGPT may largely reduce students' interest of exploring other educational resources.
- How do CS1 students perceive ChatGPT in the context of CS1?
 - Students demonstrate a neutral or slightly positive opinion on ChatGPT's capability of helping CS1 programming, while the majority of students are more concerned about potential ethical issues linked to ChatGPT.
 - Students suggest ChatGPT's capability is not reliable across different programming tasks.

•M. Chi, R. Glaser and E. Rees. *Expertise in Problem Solving*. Advances in the Psychology of Human Intelligence, 1982.

.Summary?



I Am Devloper @iamdevloper

manager: we need to design an admin system for a veterinary centre

dev: ok, this is it, remember your training

class Dog extends Animal {}

"Both expert and novice proceed to solution by evoking the appropriate physics equations and then solving them. The expert often does this in one step, however ..."

"The speed with which a problem can be solved depends a great deal on the skill of the individual. Simon and Simon noted a 4:1 difference ... Larkin also reported a similar difference between her experts and novices."

• "Another interesting aspect of novice problem solving is not only that they commit more errors than experts but that, even when they do solve a physics problem correctly, their approach is quite different."



These two problems
 have a similar
 superficial structure

FIG. 1.6. Sample problems.



A man of mass M_1 lowers himself to the ground from a height X by holding onto a rope passed over a massless frictionless pulley and attached to another block of mass M_2 . The mass of the man is greater than the mass of the block. What is the tension on the rope?



No. 18 (Energy Problem)

A man of mass M_1 lowers himself to the ground from a height X by holding onto a rope passed over a massless frictionless pulley and attached to another block of mass M_2 . The mass of the man is greater than the mass of the block. With what speed does the man hit the ground?

FIG. 1.6. Sample problems.

Diagrams Depicted from Problems Catergorized by Experts within the Same Groups Experts' Explanations for Their Similarity Groupings

Problem 6 (21)







Expert 2: "Conservation of Energy"

Expert 3: "Work-Energy Theorem. They are all straight-forward problems."

Expert 4: "These can be done from energy considerations. Either you should know the Principle of Conservation of Energy, or work is lost somewhere."



"In this study, we specially designed a set of 20 problems to test the hypothesis that novices are more dependent on surface features, whereas experts focus more on the underlying principles. ... We were able to replicate the initial findings that experts categorize problems by physical laws, whereas novices categorize problems by the literal components."

."If we assume that such categories reflect knowledge schemata, then our results from the person at the intermediate skill level suggest that, with learning, there is a gradual shift in organization of knowledge --- from one centering on the physical components, to one where there is a combined reliance on the physical components and the physics laws, and finally, to one primarily unrelated to the physical components."

"Improved ability to learn would be developed through a knowledge strategy in which individuals would be taught ways in which their available knowledge can be recognized and manipulated."

Do we do this in school?



•U. Debarnot, M. Sperduti, F. Di Rienzo, and A Guillot. *Experts bodies, experts minds: How physical and mental training shape the brain*. Frontiers in Human Neuroscience, 2014.

.Summary?



."These results suggest that the disparity between the quality of the performance of novice and expert golfers lies at the level of the functional organization of neural networks during motor planning. More generally, Patel et al. (2013) demonstrated that spatially distributed cortical networks and subcortical striatal regions may serve as neural markers of practice interventions."

.What's a "practice intervention"?

"Recently, Picard et al. (2013) examined the consequence of practice-dependent motor learning on the metabolic and neural activity in M1 of monkeys who had extensive training (~1-6 years) on sequential movement tasks. They found that practicing a skilled movement and the development of expertise lead to lower M1 metabolic activity, without a concomitant reduction in neuron activity. In other terms, they showed that less synaptic activity was required to generate a given amount of neuronal activity."

.What does this mean?



•Scholz et al. (2009) reported experienceinduced changes in white matter architecture following a short period of practice. Practically, it was found that 6 weeks of juggling practice protracted an increased fractional anisotropy in a region of white matter underlying the intraparietal sulcus.





Taxi Cab Drivers

If the brain anatomy parts are a bit opaque, it may be easier to interpret a famous study of London taxi cab driver brains [http://www.scientificamerican.com/article/london-taxi-memory/]. Memorizing and navigating that spatial problem (London is not laid out on a clean grid) causes growth in the hippocampus. Quote:

"These navigational demands stimulate brain development, concludes a study five years in the making. With the new research, scientists can definitively say that London taxi drivers not only have larger-than-average memory centers in their brains, but also that their intensive training is responsible for the growth."

https://www.themantic-education.com/ibpsych/2019/02/01/keystudy-london-taxi-drivers-vs-bus-drivers-maguire-2006/



Back To The Timed Exercise

.What are other ways to solve this?

•Hint: I did not "write a program" at all in the conventional sense.

If this were a contest (*and it is not!*), the key decision/mistake happened in the first seconds when you decided to write a program.

"C vs. Python" is a red herring: to phrase things as pejoratively as possible, that determines the winner of the loser's bracket.

Hypotheses

- .My computer is slow. -
- .I'm slow and so is my program.
- I picked the wrong language/abstraction and couldn't break up the problem.
- I did not recognize the true components of the problem.
- •My brain is currently inefficient, requiring much metabolism for little neural activation.

My Opinion: Programming Performance

•A substantial performance factor designated as "programming speed," associated with faster coding and debugging, less CPU time, and the use of a higher order language.

- .Programming Speed = Common Mistaken Belief!
- .Use of Abstraction = The Real Deal

•The language is just one way to get abstraction. Abstraction (so that you can break up the problem and re-use existing solutions) is the relevant insight.

My Opinion: Mythical M-M

"Planning" includes deciding whether write a standard program or whether to try something different ("totally new techniques")

.Coding is much less relevant than many think.

 The fraction devoted to planning is larger than normal. Even so, it is barely enough to produce a detailed and solid specification, and not enough to include research or exploration of totally new techniques.

- 2. The *half* of the schedule devoted to debugging of completed code is much larger than normal.
- The part that is easy to estimate, i.e., coding, is given only one-sixth of the schedule.

My Opinion: Mythical M-M

- "The real insight is the observation of language invariance.
- .You can get 10 lines of ASM or 10 lines of Python."
- All keystrokes in a command line calculator
 (bc) solution to this problem
- •[Ctrl]-A cat > foo [Enter] [Ctrl]-V [Ctrl]-D vim foo [Enter] Vjjjjjjjj :%s/\$/+/g [Enter] :0VGJA0 [Enter] V!bc -l [Enter] A/10000 V!bc -l [Enter]

My Opinion: Expertise in Problem Solving

- "Another interesting aspect of novice problem solving is not only that they commit more errors than experts but that, even when they do solve a physics problem correctly, their approach is quite different."
- .Story time: "I've seen this one before."
- ."approach is quite different" cf. "new techniques"
- Is "calculate math" a primitive in your language?



FIG. 1.6. Sample problems.

My Opinion: Problem Solving

Many of you looked at the problem and, despite the instructions, saw that it looked similar to programming tasks you'd been given before.

•Those are "it looks like a pulley" surface features (file access then loop to compute total then divide).

•You wanted "it uses Newton's 2nd Law" deep features (compute the average).

My Opinion

- .My "plan" breakdown:
- •This problem is regular expressions plus a calculator.
- •Use regular expressions to turn the input into an arithmetic expression ("into a program")
- .Feed that to a pre-existing calculator
- •Students who said "I will pass this to Excel" also did well.
- Why are you re-inventing the wheel? Your boss wanted the right answer as fast as possible.

Advice 1/3: Small Potatoes

•Try to learn a shell-based editor, such as vim or emacs, and practice suspending the editor (ctrl-z, fg) rather than restarting it. If you must use something like Eclipse for a project, start it once and never quit it.

In as much as extra hand actions on your part are isomorphic to the computer delaying before giving you what you really want, master "focus follows mouse" (yes, even Windows supports it) and editors that don't involve new windows. Similarly, master keyboard shortcuts and favor an editor that allows you to make your own macros. Memorize the common ones shared across many interfaces, like ctrl-a (beginning of line) and ctrl-e (end of line -- those both work in the shell as well).

.Buy fast storage.

Advice 2/3

•Students often overemphasize the effect of low-level notions like typing speed but underemphasize high-level decisions (like breaking down a problem so its components can be solved in terms of transformations on existing solutions). When adding numbers, we demonstrated this concretely by taking what was to some a unitary atomic problem ("sum a list of numbers") into smaller parts ("turn a list of numbers into an arithmetic expression with regular expressions" and "invoke a calculator").

•This is non-obvious for a few reasons, not the least of which is that the parts actually appear to be larger, not smaller! So one trick is to gain enough felicity with various small problems in computer science that you can solve them quickly (see Sackman reading), as well as to retrieve them quickly and do the chunking to break down the big problem in terms of those parts (see Chi reading) without your machine setup actually getting in the way (see Dougherty reading).

Advice 3/3

Ultimately, the bottleneck productivity limitation is not your typing speed. The real obstacle is more a conceptual limitation related to abstraction -- and there may be no shortcut to years of practice, the sort of study that ultimately changes the organization of your brain.

.Good luck.

Questions?

My cousin just got a job programming Al software.

I'm jealous of his ability to make friends at work.

@TheChrisSchmidt